



MADE IN ITALY

Hygienic LINE

MOTORI A PROFILO PULITO

INOX



IE4		Potenza nominale		Velocità	Rendimento	Corrente nominale	Fattore di potenza	Coppia nominale	Rapporti di spunto	
		Pn		n	μ	An	Cos φ	Cn	Cs/Cn	As/An
Tipo	[kW]	[Hp]	[rpm]	[%IE4]	[A]	-	[Nm]	-	-	
	2 POLI	MSS71a2	0.13	0.18	2850	67.4	0.37	0.77	0.43	4
MSS71b2		0.18	0.25	2850	70.8	0.48	0.77	0.6	4.2	6.36
MSS71c2		0.25	0.37	2880	74.3	0.58	0.81	0.84	4.5	7.9
MSS80a2		0.37	0.5	2850	78.1	0.91	0.76	0.84	4.15	6.9
MSS80b2		0.5	0.7	2850	80.8	1.1	0.82	1.67	4	7
MSS80c2		0.75	1	2850	83.5	1.54	0.86	2.5	3.6	6.9
MSS90a2		1.1	1.5	2870	85.2	2.32	0.81	3.66	5.22	8.27
MSS90b2		1.5	2	2900	86.5	3.25	0.78	5	4.79	9.83
4 POLI	MSS71a4	0.13	0.18	1420	70.9	0.37	0.73	0.88	3.6	6.5
	MSS71b4	0.18	0.25	1420	74.7	0.49	0.71	1.22	4	6.3
	MSS71c4	0.25	0.37	1410	77.9	0.67	0.75	1.77	3.5	5.6
	MSS80a4	0.37	0.5	1460	81.1	1.03	0.74	2.5	5.8	8.7
	MSS80b4	0.5	0.75	1440	83.2	1.15	0.76	3.3	5.8	9.3
	MSS80c4	0.75	1	1440	85.7	1.73	0.75	5	6	9
	MSS90a4	0.75	1	1450	85.7	1.69	0.75	5	6.3	9.5
	MSS90b4	1.1	1.5	1450	87.2	2.31	0.78	7.22	4.53	9
	MSS90c4	1.5	2	1440	88.2	3.01	0.83	9.87	4	8.3
6 POLI	MSS71a6	0.13	0.18	880	65.9	0.42	0.69	1.41	1.63	1.67
	MSS71b6	0.18	0.25	850	70.1	0.56	0.7	1.95	2.6	3
	MSS80a6	0.18	0.25	890	70.1	0.54	0.7	1.93	2.8	3.2
	MSS80b6	0.25	0.37	900	74.1	0.52	0.7	2.65	3.2	3.4
	MSS80c6	0.37	0.5	890	78	1.24	0.71	3.97	1.7	3.4
	MSS80d6	0.5	0.7	900	80.3	1.25	0.72	5.3	2.4	3.7
	MSS90a6	0.75	1	920	82.7	1.42	0.76	7.78	2.4	4.72
	MSS90b6	1.1	1.5	930	84.5	2.44	0.78	11.29	2.86	5.1

ATTENZIONE: I dati tecnici riportati nella tabella si riferiscono ad una tensione di alimentazione di 230/400 V, 50 Hz. Voltaggi diversi solo su richiesta.



via 2 Agosto 1980, 5
40016 S. Giorgio di Piano
Bologna - Italy

Tel. +39 051 8902811
Fax +39 051 6651043
info@carpanelli.net



www.carpanelli.net